



WE ARE THE SPECICOOLIST!

ESL3831
ESL3832

SALADETTES

FEATURES

- High grade stainless steel interior and exterior
- Heavy duty marble prep area (ESL3831)
- Heavy duty stainless steel top
- 43-degree ambient working temperature
- -2 to 8 degrees working temp
- Insulation foam CH10, ODP zero emissions
- Static cooling system
- Digital controls
- Self-evaporating drainage
- One shelf per door
- Manual defrosting system
- Regular defrosting recommended
- Compressor and condenser situated on bottom
- Unit can be positioned against a wall
- Fits GN pans
- White epoxy shelves and stainless steel rails
- Comes installed with 4 castors for easy mobility
- ESL3831 fits 5 x 1/6 GN pans 100mm deep
- ESL3832 fits 5 x 1/6 GN pans 100mm deep
- GN pans and lids not included
- ESL3831 Comes with 4 wired shelves
- ESL3832 Comes with 4 wired shelves
- Shelves RRP \$65.00 each



Two Doors Pizzatable
Marble Top Saladette


ESL3831




Two Doors
Open Top Saladette

ESL3832

ESL3831



ESL3832



INFORMATION

ESL3831

Capacity	300L
Power	310W
Voltage	220~240V/50Hz
Working Temp	-2°C~+8°C
Ambient Temp	43°C
Dimensions(mm)	W900 x D700 x H1157, 96kg
Packaging Dimensions(mm)	W945 x D750 x H1260, 125kg

INFORMATION

ESL3832

Capacity	300L
Power	310W
Voltage	220~240V/50Hz
Working Temp	-2°C~+8°C
Ambient Temp	43°C
Dimensions(mm)	W900 x D700 x H1105, 77kg
Packaging Dimensions(mm)	W955 x D754 x H1211, 95kg



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST

* All prices are EX-GST



WE ARE THE SPECICOOLIST!

ESL3852
ESL3853

SALADETTES

FEATURES

- High grade stainless steel interior and exterior
- Heavy duty marble prep area (ESL3852)
- Heavy duty stainless steel top (ESL3853)
- 43-degree ambient working temperature
- -2 to 8 degrees working temp
- Insulation foam CH10, ODP zero emissions
- Static cooling system
- Digital controls
- Self-evaporating drainage
- One shelf per door
- Manual defrosting system
- Regular defrosting recommended
- Compressor and condenser situated on bottom
- Unit can be positioned against a wall
- Fits GN pans
- White epoxy shelves and stainless steel rails
- Comes installed with 4 castors for easy mobility
- ESL3853 fits 7 x 1/6 and 1 x 1/9 GN pans 100mm deep
- GN pans and Lids not included
- ESL3852 Comes with 6 wired shelves
- ESL3853 Comes with 6 wired shelves
- Shelves RRP \$65.00 each



Not include
Counter Top Salad Bar



Three Door Pizza Table Without
Ingredient Top


ESL3852




Three Doors Open
Top Saladette

ESL3853

ESL3852



ESL3853



INFORMATION

ESL3852

Capacity	380L
Power	220W
Voltage	220~240V/50Hz
Working Temp	+2°C~+8°C
Ambient Temp	43°C
Dimensions(mm)	W1365 x D700 x H1087, 170kg
Packaging Dimensions(mm)	W1419 x D754 x H1172, 187kg

INFORMATION

ESL3853

Capacity	380L
Power	300W
Voltage	220~240V/50Hz
Working Temp	+2°C~+8°C
Ambient Temp	43°C
Dimensions(mm)	W1365 x D700 x H1105, 91kg
Packaging Dimensions(mm)	W1419 x D754 x H1172, 108kg



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST

* All prices are EX-GST



WE ARE THE SPECICOOLIST!

ESL3864

SALADETTES



Pizzatable Saladette




ESL3864



FEATURES

- High grade stainless steel interior and exterior
- Heavy duty marble prep area (ESL3864)
- 43-degree ambient working temperature
- -2 to 8 degrees working temp
- Insulation foam CH10, ODP zero emissions
- Static cooling system
- Digital controls
- Self-evaporating drainage
- One shelf per door
- Manual defrosting system
- Regular defrosting recommended
- Compressor and condenser situated on bottom
- Unit can be positioned against a wall
- Fits GN pans
- White epoxy shelves and stainless steel rails
- Comes installed with 4 castors for easy mobility
- ESL3864 fits 7 x 1/3 GN pans 100mm deep
- GN Pans and Lids not included
- ESL3864 Comes with 6 wired shelves
- Shelves RRP \$65.00 each

ESL3864



INFORMATION

ESL3864

Capacity	380L
Power	310W
Voltage	220~240V/50Hz
Working Temp	-2°C~+8°C
Ambient Temp	43°C
Dimensions(mm)	W1365 x D700 x H1168, 173kg
Packaging Dimensions(mm)	W1420 x D754 x H1230, 209kg



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST

* All prices are EX-GST